

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

OKUGAWA et al.

Atty. Ref.: 2018-868

Serial No. 10/810,750

TC/A.U.: 3748

Filed: March 29, 2004

Examiner: B. Tran

For: EXHAUST GAS CLEANING SYSTEM OF INTERNAL
COMBUSTION ENGINE

* * * * *

December 22, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

**RESPONSE TO NOTICE OF
NON-COMPLIANT AMENDMENT**

As required by the Notice of Non-Compliant Amendment dated 11/22/2005 (copy attached), a new set of formal drawings, each sheet labeled as a "replacement sheet" is attached.

However, as noted in the remarks of the last submitted amendment, the Examiner's suggestion that applicant file formal drawings is believed to be in error since formal drawings were included with the original filing. Accordingly, this extra set of formal drawings is merely for the Examiner's convenience and are not really "replacement" sheets.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____
Larry S. Nixon

Larry S. Nixon
Reg. No. 25,640

LSN:vc

901 North Glebe Road, 11th Floor
Arlington, VA 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100



11/22/2005
1010 868

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAME/INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/810,750	03/29/2004	Shinichiro Okugawa	2018-868	9085
23117	7590	11/22/2005		
NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203			EXAMINER	
			TRAN, BINH Q	
			ART UNIT	PAPER NUMBER
			3748	




DATE MAILED: 11/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

1mo

CLT/MAT 2018-868
MAIL DATE 11/22/05
DUE DATE Dec 22, 2005
FINAL DEADLINE May 22, 2006
DOCKETED BY [Signature]

Notice of Non-Compliant Amendment (37 CFR 1.121)	10810750	Applicant(s)
	Examiner	Art Unit



-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address.

The amendment document filed on 11/14/05 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- 1. Amendments to the specification:
 - A. Amended paragraph(s) do not include markings.
 - B. New paragraph(s) should not be underlined.
 - C. Other _____
- 2. Abstract:
 - A. Not presented on a separate sheet. 37 CFR 1.72.
 - B. Other _____
- 3. Amendments to the drawings:
 - A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).
 - B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.
 - C. Other _____
- 4. Amendments to the claims:
 - A. A complete listing of all of the claims is not present.
 - B. The listing of claims does not include the text of all pending claims (including withdrawn claims)
 - C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended).
 - D. The claims of this amendment paper have not been presented in ascending numerical order.
 - E. Other: _____
- 5. The amendment is unsigned or not signed in accordance with 37 CFR 1.4.

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714 and the USPTO website at <http://www.uspto.gov/web/offices/pac/dapp/opla/preognitice/officeflyer.pdf>.

TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:

1. Applicant is given **no new time period** if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the **entire corrected amendment** must be resubmitted within the time period set forth in the final Office action.
2. Applicant is given **one month**, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the **corrected section** of the non-compliant amendment in compliance with 37 CFR 1.121 or 1.4, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action.

Extensions of time are available under 37 CFR 1.136(a) **only** if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.

Failure to timely respond to this notice will result in:

Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or

Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.

R.Johnson

Legal Instruments Examiner (LIE)

571-272-4359

Telephone No.